Printing date 21.02.2022

Version number 2

Revision: 21.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Dulon Black Streak Remover 26
- **UFI:** YFU0-G009-E009-EY8G
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Technical function Cleaning agent
- Application of the substance / the mixture Degreaser
- Alkaline cleaner/ detergent
- Uses advised against

All applications that differ from the mentioned application in "application of the mixture", are advised against or have to be discussed with the supplier / producer

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dulon Marine Deckmate Group Energieweg 12 2382 NJ Zoeterwoude-The Netherlands T +31 (0)85 0180 340 E info@dulonmarine.com I www.dulonmarine.com I www.deckmate.eu
- · Informing department: Product Safety Department
- · 1.4 Emergency telephone number:
- Dulon Marine Deckmate Group Energieweg 12 Tel: +31 (0)85 0180 340

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eve Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- *The product is classified and labelled according to the CLP regulation. Hazard pictograms*



· Signal word Danger

 Hazard-determining components of labelling: Isotridecanol, ethoxylated (>5-20 EO)
 Hazard statements H314 Causes severe skin burns and eye damage.
 Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Printing date 21.02.2022

Version number 2

Revision: 21.02.2022

Trade name: Dulon Black Streak Remover 26

	(Contd. of page 1)
P310	Immediately call a POISON CENTER/doctor.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Cleansing agent

· Dangerous components:		
CAS: 69011-36-5	Isotridecanol, ethoxylated (>5-20 EO)	2.5-<10%
NLP: 500-241-6	📀 Eye Dam. 1, H318; 🚺 Acute Tox. 4, H302	
Reg.nr.: 01-2119976362-32		
	C9-11 Alcohol ethoxylate	<2%
Reg.nr.: 01-2119980051-45	(1) Eye Irrit. 2, H319	
· Ingredients conform 89/542	/EG	
non-ionic surfactants, phosp perfumes, colouring agent	hates, cationic surfactants, amphoteric surfactants, preservation ag	gents, <5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- After inhalation In case of unconsciousness bring patient into stable side position for transport.
- · After skin contact
- Instantly wash with water and soap and rinse thoroughly.

Instantly rinse with water.

• After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

• After swallowing Drink copious amounts of water and provide fresh air. Instantly call for doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

Use fire fighting measures that suit the environment. Water

- 5.2 Special hazards arising from the substance or mixture
- Formation of poisonous gases during heating or in fires.
- 5.3 Advice for firefighters
- · *Protective equipment: Put on breathing apparatus.*

(Contd. on page 3)

Printing date 21.02.2022

Version number 2

Revision: 21.02.2022

Trade name: Dulon Black Streak Remover 26

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Put on breathing apparatus.
 Wear protective equipment. Keep unprotected persons away.
 6.2 Environmental precautions: Dilute with much water.
 Do not allow to enter drainage system, surface or ground water.
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
 Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep breathing equipment ready.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical systems: No further data; see item 7.
- · Components with limit values that require monitoring at the workplace:
- 34590-94-8 Dipropylene glycol monomethyl ether (2.5-<10%)
- WEL Long-term value: 308 mg/m³, 50 ppm Sk

· Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures
- Keep away from foodstuffs, beverages and food.
- Take off immediately all contaminated clothing
- Wash hands during breaks and at the end of the work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment: Not necessary if room is well-ventilated.
- Protection of hands:
- Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Printing date 21.02.2022

Version number 2

Revision: 21.02.2022

(Contd. of page 3)

Trade name: Dulon Black Streak Remover 26

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

> 0,5 mm / 240 min.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Tightly sealed safety glasses.

• Body protection: Protective work clothing.

9.1 Information on basic physical and o	hemical properties	
General Information	I I I	
Appearance:		
Form:	Fluid	
Colour:	Yellowish	
Odour:	Pleasant	
Odour threshold:	Not determined.	
pH-value at 20 °C:	~ 12	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling range	:: 100 °C	
Flash point:	Not applicable	
Inflammability (solid, gaseous)	Not applicable.	
Decomposition temperature:	Not determined.	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Critical values for explosion:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C	$1.01 {\rm g/cm^3}$	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	

GB

Printing date 21.02.2022

Version number 2

Revision: 21.02.2022

(Contd. of page 4)

Trade name: Dulon Black Streak Remover 26

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid Avoid creating mist or damp in rooms where no ventilation is present
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values that	are relevant for classification:	
34590-94-	8 Dipropyl	ene glycol monomethyl ether	
Oral	LD50	5,135 mg/kg (rat)	
Dermal	LD50	9,500 mg/kg (rat)	
Inhalative	LC50/4 h	55-60 mg/l (rat)	
69011-36-5 Isotridecanol, ethoxylated (>5-20 EO)			
Oral	LD50	>300-2,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbies)	
68439-46-	3 C9-11 Al	cohol ethoxylate	
Oral	LD50	2,000-5,000 mg/kg (rat)	
Dermal	LD50	2,000-5,000 mg/kg (rat)	
Inhalative	LC50/4 h	20.1 mg/l (rat)	
Primary ir	ritant effe	et:	

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eve damage.

• **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

• Additional toxicological information:

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• **STOT-single exposure** Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

34590-94-8 Dipropylene glycol monomethyl ether

LC50/96h >10,000 mg/l (fish)

LC50/48h 1,919 mg/l (daphnia)

(Contd. on page 6)

GB

Printing date 21.02.2022

Version number 2

Revision: 21.02.2022

(Contd. of page 5)

Trade name: Dulon Black Streak Remover 26

EC50/96h 969 mg/l (algae)

69011-36-5 Isotridecanol, ethoxylated (>5-20 EO)

LC50/96h 1-10 mg/l (fish)

EC50/48h 1-10 mg/l (daphnia)

EC50/72h 1-10 mg/l (Scenedesmus subspicatus)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into soil.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

• Recommended cleaning agent: Water, if necessary with cleaning agent.

· 14.1 UN-Number	-	
· ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group	-	
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Ann	ex II of	
Marpol and the IBC Code	Not applicable.	

(Contd. of page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 2

Revision: 21.02.2022

Trade name: Dulon Black Streak Remover 26

- Transport/Additional information:
- · ADR · Excepted quantities (EQ)

Printing date 21.02.2022

NOT SUBJECT TO ADR

Void

• UN "Model Regulation":

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation.

· Department issuing data specification sheet: Product Safety Department

- Contact: Product Safety Department
- Abbreviations and acronyms: Acute Tox. 4: Acute toxicity – Category 4
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
 * Data compared to the previous version altered.

GB