Printing date 02.05.2022

Version number 4

Revision: 02.05.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: Dulon Sterndrive & Outboard Shaft Cleaner 30

• UFI: EVX0-Q0M5-P003-VMK2

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

*SU22* Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • **Product category** PC35 Washing and cleaning products (including solvent based products)

- Technical function Cleaning agent
- · Application of the substance / the mixture Acid Boatcleaner
- · Uses advised against

All applications that differ from the mentioned application in "application of the mixture", are advised against or have to be discussed with the supplier / producer

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- Dulon Marine Deckmate Group B.V. Energieweg 12 2382 NJ Zoeterwoude -The Netherlands T +31 (0)85 0180 340 E info@dulonmarine.com

I www.dulonmarine.com

I www.deckmate.eu

- · Informing department: Product safety department.
- · 1.4 Emergency telephone number:

Dulon Marine Deckmate Group - Energieweg 12 - Tel: +31 (0)85 0180 340

## **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eve Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

*The product is classified and labelled according to the CLP regulation. Hazard pictograms* 



· Signal word Dang	er
· Hazard statements	
H314 Causes seve	re skin burns and eye damage.
· Precautionary stat	tements
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.
P301+P330+P33	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>
P310	Immediately call a POISON CENTER/doctor.
	(Contd on page 2)

Printing date 02.05.2022

Version number 4

Revision: 02.05.2022

#### Trade name: Dulon Sterndrive & Outboard Shaft Cleaner 30

	(Contd. of page 1)
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· 2.3 Other h	azards
· Rosults of F	ORT and vPvR assassment

• Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

#### **SECTION 3:** Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• **Description:** Cleansing agent

· Dangerous components:		
CAS: 5329-14-6 EINECS: 226-218-8 Index number: 016-026-00-0	sulphamidic acid Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	2.5-<10%
CAS: 144-62-7 EINECS: 205-634-3 Index number: 607-006-00-8	oxalic acid	2.5-<10%
· Ingredients conform 89/542/	EG	
non-ionic surfactants		<5%

· Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4:** First aid measures

• 4.1 Description of first aid measures

- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of symptoms.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- *After swallowing* Drink copious amounts of water and provide fresh air. Instantly call for doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5:** Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

Use fire fighting measures that suit the environment.

- Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Product forms slippery surface when combined with water. Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

GB

Printing date 02.05.2022

Version number 4

Revision: 02.05.2022

(Contd. of page 2)

#### Trade name: Dulon Sterndrive & Outboard Shaft Cleaner 30

- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent. Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling No special precautions necessary if used correctly.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical systems: No further data; see item 7.
- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures
- Keep away from foodstuffs, beverages and food.
- Take off immediately all contaminated clothing
- Wash hands during breaks and at the end of the work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment: Only during spraying without adequate removal by suction.
- · Protection of hands:
- Protective gloves.
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves
- Nitrile rubber, NBR
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- · Penetration time of glove material
- > 0,5 mm / 240 min.
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

GB

Printing date 02.05.2022

Version number 4

Revision: 02.05.2022

#### Trade name: Dulon Sterndrive & Outboard Shaft Cleaner 30

· Eye protection: Tightly sealed safety glasses.

SECTION 9: Physical and chem	ical properties
• 9.1 Information on basic physical and c	chemical properties
· General Information	
· Appearance:	
Form:	Fluid
Colour:	Colourless
• Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C:	2
· Change in condition	
Melting point/freezing point:	Not determined
Initial boiling point and boiling range	:: 100 °C
· Flash point:	Not applicable
· Inflammability (solid, gaseous)	Not applicable.
• Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C	1.08 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
• 9.2 Other information	No further relevant information available.

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Corrosive action on metals

• 10.4 Conditions to avoid Avoid creating mist or damp in rooms where no ventilation is present

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

(Contd. on page 5)

GB

(Contd. of page 3)

Printing date 02.05.2022

Version number 4

Revision: 02.05.2022

#### Trade name: Dulon Sterndrive & Outboard Shaft Cleaner 30

(Contd. of page 4)

## **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:
- 5329-14-6 sulphamidic acid

*Oral LD50 3,160 mg/kg (rat)* 

#### 144-62-7 oxalic acid

Oral LD50 375 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- $\cdot$  **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into soil.

- Danger to arinking water if even small quantities leak into s
- 12.5 Results of PBT and vPvB assessment
- *PBT*: Not applicable. • *vPvB*: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 02.05.2022

Version number 4

Revision: 02.05.2022

Trade name: Dulon Sterndrive & Outboard Shaft Cleaner 30

(Contd. of page 5)

SECTION 14: Transport informat	uon	
14.1 UN-Number ADR, ADN, IMDG, IATA	- Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	- Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Anno Marpol and the IBC Code	<b>ex II of</b> Not applicable.	
Transport/Additional information:		
ADR Excepted quantities (EQ)	NOT SUBJECT TO ADR	
UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing data specification sheet: Environment protection department.

• Contact: Research & Development

Abbreviations and acronyms: Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
\* Data compared to the previous version altered.

GB