Printing date 22.02.2022

Version number 3

Revision: 22.02.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking • 1.1 Product identifier • Trade name: Dulon Synthetic Teak Cleaner 46 • UFI: NGV0-J092-3008-C288 • 1.2 Relevant identified uses of the substance or mixture and uses advised against • Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • **Product category** PC35 Washing and cleaning products (including solvent based products)

• Technical function Cleaning agent

• *Application of the substance / the mixture All purpose cleaner* 

Cleaning agent/ Cleaner

• Uses advised against

All applications that differ from the mentioned application in "application of the mixture", are advised against or have to be discussed with the supplier / producer

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier: Dulon Marine Deckmate Group B.V. The Netherlands T +31 (0)85 0180 340 E info@dulonmarine.com I www.dulonmarine.com

I www.deckmate.eu

• Informing department: Product Safety Department

• 1.4 Emergency telephone number:

# **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



Signal word Warning
 Hazard statements
 H319 Causes serious eye irritation.
 Precautionary statements
 P264 Wash thoroughly after handling.
 P280 Wear eye protection / face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Printing date 22.02.2022

Version number 3

Revision: 22.02.2022

(Contd. of page 1)

#### Trade name: Dulon Synthetic Teak Clean 46

- Additional information:
- Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.

#### **SECTION 3:** Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

· Description: Cleansing agent

2-butoxyethanol	2.5-<10%
<i>Skin Irrit. 2, H315; Eye Irrit. 2, H319</i>	
Alkyl Ether Sulfate C12-14, sodium salt	<2%
O Eye Dam. 1, H318; $O$ Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
Cocamidopropyl Dimethyl Glycine	<2%
📀 Eye Dam. 1, H318; Aquatic Chronic 3, H412	
(R)-p-mentha-1,8-diene	<0.25%
🚸 Flam. Liq. 3, H226; 🚯 Aquatic Acute 1, H400; Aquatic	
Chronic 1, H410; 🕦 Skin Irrit. 2, H315; Skin Sens. 1, H317	
	<ul> <li>Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319</li> <li>Alkyl Ether Sulfate C12-14, sodium salt</li> <li>Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412</li> <li>Cocamidopropyl Dimethyl Glycine</li> <li>Eye Dam. 1, H318; Aquatic Chronic 3, H412</li> <li>(R)-p-mentha-1,8-diene</li> </ul>

#### · Ingredients conform 89/542/EG

anionic surfactants, amphoteric surfactants, non-ionic surfactants, colouring agent, perfumes, (R)-p- <5% mentha-1,8-diene, CITRAL

• Additional information For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4:** First aid measures

- 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- After inhalation Supply fresh air.
- After skin contact The product is not skin irritating.
- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5:** Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents
- Use fire fighting measures that suit the environment.
- Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

Printing date 22.02.2022

Version number 3

Revision: 22.02.2022

(Contd. of page 2)

Trade name: Dulon Synthetic Teak Clean 46

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

# **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.
- 6.2 Environmental precautions: Inform respective authorities in case product reaches water or sewage system. Dilute with much water. Do not allow to enter drainage system, surface or ground water.
   6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling
- See Section 7 for information on safe nanding See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

# SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Protect from frost. Keep container tightly sealed.

- Maximum storage temperature: 35°C
- Minimum storage temperature 5°C
- 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical systems: No further data; see item 7.

• Components with limit values that require monitoring at the workplace:

#### 111-76-2 2-butoxyethanol (2.5-<10%)

WEL Short-term value: 246 mg/m<sup>3</sup>, 50 ppm Long-term value: 123 mg/m<sup>3</sup>, 25 ppm Sk, BMGV

#### · Ingredients with biological limit values:

#### 111-76-2 2-butoxyethanol (2.5-<10%)

BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid

• *Additional information:* The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

GB

Printing date 22.02.2022

Version number 3

Revision: 22.02.2022

# Trade name: Dulon Synthetic Teak Clean 46

(Contd. of page 3)

8.2 Exposur	re controls
	otective equipment
General pro	otective and hygienic measures
	from foodstuffs, beverages and food.
Take off imn	nediately all contaminated clothing
	during breaks and at the end of the work.
	ct with the eyes.
Avoid conta	ct with the eyes and skin.
Breathing e	
	spraying without adequate removal by suction.
Use breathin	ng protection in case of insufficient ventilation.
Not necessa	ry if room is well-ventilated.
	brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer e breathing apparatus that is independent of circulating air.
Protection of	
Selection o	aterial has to be impermeable and resistant to the product/ the substance/ the preparation. If the glove material on consideration of the penetration times, rates of diffusion and the
degradation	
Material of	
Nitrile rubb	
and varies j	n of the suitable gloves does not only depend on the material, but also on further marks of quality from manufacturer to manufacturer. As the product is a preparation of several substances, the f the glove material can not be calculated in advance and has therefore to be checked prior to the
Penetration	time of glove material
> 0,5 mm / 2	
The exact b. observed.	reak trough time has to be found out by the manufacturer of the protective gloves and has to be
Eve protecti	ion: Tightly sealed safety glasses.

Eye protection: Tightly sealed safety glasses.

\*

9.1 Information on basic physical an	nd chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Colour:	Yellow	
Odour:	Fruit-like	
Odour threshold:	Not determined.	
pH-value at 20 °C:	10	
Change in condition Melting point/freezing point: Initial boiling point and boiling ra	Not determined	
Flash point:	>100 °C	
Inflammability (solid, gaseous)	Not applicable.	
Ignition temperature:	240 °C	
Decomposition temperature:	Not determined.	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Critical values for explosion: Lower:	Not determined.	

Printing date 22.02.2022

Version number 3

Revision: 22.02.2022

Trade name: Dulon Synthetic Teak Clean 46

		(Contd. of page 4)
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
· Density at 20 °C	1.01 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
• 9.2 Other information	No further relevant information available.	

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid Avoid creating mist or damp in rooms where no ventilation is present

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

# **SECTION 11: Toxicological information**

• 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

Oral	LD50	>5,700 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbies)
61789-40-	0 Cocamid	lopropyl Dimethyl Glycine
Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
111-76-22	2-butoxyetl	hanol
Oral	LD50	470 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	2.2 mg/l (rat)
68891-38-	3 Alkyl Etl	her Sulfate C12-14, sodium salt
Oral	LD50	2,000-5,000 mg/kg (rat) (OECD401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD402)

Causes serious eye irritation.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Printing date 22.02.2022

Version number 3

Revision: 22.02.2022

Trade name: Dulon Synthetic Teak Clean 46

• Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.* 

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

111-76-2 2-butoxyethanol

LC50/96h 1,474 mg/l (fish)

EC50/48h 1,550 mg/l (daphnia)

EC50/72h 911 mg/l (algae)

#### 68891-38-3 Alkyl Ether Sulfate C12-14, sodium salt

EC50/48h 1-10 mg/l (daphnia) (OECD202)

EC50/72h 10-100 mg/l (algae) (OECD201)

61789-40-0 Cocamidopropyl Dimethyl Glycine

LC50/96h 2 mg/l (fish)

*EC50/48h* 6.5 *mg/l* (*daphnia*)

5989-27-5 (R)-p-mentha-1,8-diene

LC50/96h 0.7 mg/l (fish)

*EC50/48h* 0.67 *mg/l* (*daphnia*)

*EC50/72h* 150 mg/l (Scenedesmus subspicatus)

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

• Ecotoxical effects:

• **Remark:** Harmful to fish

• Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

- Harmful to aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

# · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

GB

Printing date 22.02.2022

Version number 3

Revision: 22.02.2022

(Contd. of page 6)

Trade name: Dulon Synthetic Teak Clean 46

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	tion	
- 14.1 UN-Number - ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann. Marpol and the IBC Code	<b>ex II of</b> Not applicable.	
Transport/Additional information:		
ADR Excepted quantities (EQ)	NOT SUBJECT TO ADR	
UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Directive 2012/18/EU

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H322 Harmful if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

· Department issuing data specification sheet: Product Safety Department

• Contact: Product Safety Department

(Contd. on page 8)

GB

Printing date 22.02.2022

Version number 3

Revision: 22.02.2022

# Trade name: Dulon Synthetic Teak Clean 46

# · Abbreviations and acronyms:

(Contd. of page 7)

· Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the
International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
<i>Eye Irrit. 2: Serious eye damage/eye irritation – Category 2</i>
Skin Sens. 1: Skin sensitisation – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
• * Data compared to the previous version altered.
 GB